ELSEVIER

Analytica Chimica Acta 511 (2004) 357–359

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Alexandre Franco, M.F., see Galeano Diaz, T. 231
Araujo, M.C.U., see Medeiros, E.P. 113
Arkin, Y., see Lian, H. 25
Arrigan, D.W.M., see Herzog, G. 137
Asunción Alonso Lomillo, M., see Paolicchi, I. 223
Augousti, A., see McMillan, N.D. 119

Badawy, S.S.
—, Youssef, A.F. and Mutair, A.A.
Construction and performance characterization of ion-selective electrodes for potentiometric determination of phenylpropanolamine hydrochloride applying batch and flow injection analysis techniques 207
Bakker, E., see Long, R. 91
Barry, T., see Herzog, G. 137
Benaki, D., see Constantinou, M.A. 303
Beni, V., see Herzog, G. 137
Bertho, A.C., see McMillan, N.D. 119
Beverley, K., see McMillan, N.D. 119
Bi, S., see Lian, H. 25
Blasco, A.J.
—, González, M.C. and Escarpa, A.
Electrochemical approach for discriminating and measuring predominant flavonoids and phenolic acids using differential pulse voltammetry: towards an electrochemical index of natural antioxidants 71
Bobba, M., see Marengo, E. 313
Boller, D., see McMillan, N.D. 119
Broncová, G.
—, Shishkanova, T.V., Matějka, P., Volf, R. and Král, V.
Citrate selectivity of poly(neutral red) electropolymerized films 197
Burini, G.
— and Coli, R.
Determination of formaldehyde in spirits by high-performance liquid chromatography with diode-array detection after derivatization 155
Buss, N.I., see Wilburn, J.P. 83

Caetano, N., see Rego, R. 215
Cao, Y., see Tian, Y. 97
Cave, S.J., see McMillan, N.D. 119
Chen, D.
—, Shao, X., Hu, B. and Su, Q.
A Background and noise elimination method for quantitative calibration of near infrared spectra 37
Chen, X.-L.
—, Liu, H.-X., Qu, L.-B., Yu, Y.-Z., Lu, J. and Zhao, Y.-F.
Direct observation of a series of non-covalent complexes formed by phosphorylated flavonoid-protein interactions through electrospray ionization tandem mass spectroscopy 175
Chen, Y., see Lian, H. 25
Chongqiu, J.
— and Li, L.
Lysozyme enhanced europium–metacycline complex fluorescence: a new spectrofluorimetric method for the determination of lysozyme 11
Chung, D.-H., see Kolosova, A.Yu. 323
Ciobanu, M., see Wilburn, J.P. 83
Coli, R., see Burini, G. 155

Constantinou, M.A.
—, Papakonstantinou, E., Benaki, D., Spraul, M., Shulpis, K., Koupparis, M.A. and Mikros, E.
Application of nuclear magnetic resonance spectroscopy combined with principal component analysis in detecting inborn errors of metabolism using blood spots: a metabonomic approach 303
Cui, H.
—, Zhou, J., Xu, F., Lai, C.-Z. and Wan, G.-H.
Determination of phenolic compounds using high-performance liquid chromatography with Ce^{4+}-Tween 20 chemiluminescence detection 273

da Silva, E.C., see Medeiros, E.P. 113
Dai, L., see Lian, H. 25
Dillon, P.H., see Herzog, G. 137
Doi, T., see Inukai, Y. 261
Doyle, G., see McMillan, N.D. 119
Durán Merás, I., see Galeano Diaz, T. 231

Eremin, S.A., see Kolosova, A.Yu. 323
Escarpa, A., see Blasco, A.J. 71

Franceschetti, D.R., see Wilburn, J.P. 83
Fukunaga, K., see Inoue, H. 267

Galeano Diaz, T.
—, Durán Merás, I., Guiberteau Cabanillas, A. and Alexandre Franco, M.F.
Voltammetric behavior and determination of tocopherols with partial least squares calibration: analysis in vegetable oil samples 231
Gan, N., see Lian, H. 25
Gan, Z.-H.
—, Zhao, Q., Gu, Z.-N. and Zhuang, Q.-K.
Electrochemical studies of single-wall carbon nanotubes as nanometer-sized activators in enzyme-catalyzed reaction 239
García-Barrera, T., see Gómez-Ariza, J.L. 165
Ghoneim, M.M.
— and Tawfik, A.
Assay of anti-coagulant drug warfarin sodium in pharmaceutical formulation and human biological fluids by square-wave adsorptive cathodic stripping voltammetry 63
Gómez-Ariza, J.L.
—, Lorenzo, F., García-Barrera, T. and Sánchez-Rodas, D.
Analytical approach for routine methylmercury determination in seafood using gas chromatography-atomic fluorescence spectrometry 165
González, M.C., see Blasco, A.J. 71
Grahek, Ž.
— and Mačefat, M.R.
Isolation of iron and strontium from liquid samples and determination of ^{55}Fe and $^{89,90}Sr$ in liquid radioactive waste 339
Greenbaum, A.R., see Lindsay, A.E. 185
Gu, Z.-N., see Gan, Z.-H. 239
Guiberteau Cabanillas, A., see Galeano Diaz, T. 231

Hammond, J., see McMillan, N.D. 119

doi:10.1016/S0003-2670(04)00470-2

He, Y.
—, Zheng, Y., Ramnaraine, M. and Locke, D.C.
Differential pulse cathodic stripping voltammetric speciation of trace level inorganic arsenic compounds in natural water samples 55
Herzog, G.
—, Beni, V., Dillon, P.H., Barry, T. and Arrigan, D.W.M.
Effect of humic acid on the underpotential deposition-stripping voltammetry of copper in acetic acid soil extract solutions at mercaptoacetic acid-modified gold electrodes 137
Hu, B., see Chen, D. 37

Ikeda, M., see Toda, K. 3
Inoue, H.
—, Sakata, Y., Fukunaga, K., Nishio, H. and Tsuruta, Y.
Sensitive determination of pipecolic acid in serum by high-performance liquid chromatography using 4-(5,6-dimethoxy-2-phthalimidinyl)-2-methoxyphenylsulfonyl chloride as a fluorescent labelling reagent 267
Inukai, Y.
—, Tanaka, Y., Matsuda, T., Mihara, N., Yamada, K., Nambu, N., Itoh, O., Doi, T., Kaida, Y. and Yasuda, S.
Removal of boron(III) by *N*-methylglucamine-type cellulose derivatives with higher adsorption rate 261
Itoh, O., see Inukai, Y. 261

Johnson, D.T., see Zhang, Y. 333
Julia Arcos Martínez, M., see Paolicchi, I. 223

Kaida, Y., see Inukai, Y. 261
Kang, S.-J., see Kolosova, A.Yu. 323
Kang, Y., see Lian, H. 25
Kartal, Ş., see Tokalıoğlu, Ş. 255
Kolosova, A.Yu.
—, Park, J.-H., Eremin, S.A., Park, S.-J., Kang, S.-J., Shim, W.-B., Lee, H.-S., Lee, Y.-T. and Chung, D.-H.
Comparative study of three immunoassays based on monoclonal antibodies for detection of the pesticide parathion-methyl in real samples 323
Koupparis, M.A., see Constantinou, M.A. 303
Koupparis, M.A., see Megoulas, N.C. 159
Král, V., see Broncová, G. 197

Lai, C.-Z., see Cui, H. 273
Lee, H.-S., see Kolosova, A.Yu. 323
Lee, Y.-T., see Kolosova, A.Yu. 323
Lehtonen, T.
—, Peuravuori, J. and Pihlaja, K.
Degradative analysis of aquatic fulvic acid: CuO oxidation versus pyrolysis after tetramethylammonium hydroxide treatments in air and helium atmospheres 349
Lenti, M., see Marengo, E. 313
Li, D., see Lian, H. 25
Li, L., see Chongqiu, J. 11
Lian, H.
—, Kang, Y., Arkin, Y., Bi, S., Li, D., Mei, S., Wu, X., Tao, X., Chen, Y., Dai, L., Gan, N. and Tian, L.
Fractionation of aluminum in natural waters by fluorometry based on the competitive complexation 25
Lindsay, A.E.
—, Greenbaum, A.R. and O'Hare, D.
Analytical techniques for cyanide in blood and published blood cyanide concentrations from healthy subjects and fire victims 185
Liu, H.-X., see Chen, X.-L. 175
Liu, S., see Pu, Q. 105
Liu, X., see Tian, Y. 97
Liu, Z., see Tian, Y. 97
Locke, D.C., see He, Y. 55
Long, R.
— and Bakker, E.
Optical determination of ionophore diffusion coefficients in plasticized poly(vinyl chloride) sensing films 91
López-Sánchez, J.F., see Miravet, R. 295
Lorenzo, F., see Gómez-Ariza, J.L. 165
Low, G.K-C., see Nedelkoska, T.V. 145
Lowy, D.A., see Wilburn, J.P. 83
Lu, J., see Chen, X.-L. 175
Luque de Castro, M.D., see Priego-López, E. 249

Mačefat, M.R., see Grahek, Ž. 339
Mackie, D.S.
—, van den Berg, C.M.G. and Readman, J.W.
Determination of pyrithione in natural waters by cathodic stripping voltammetry 47
Manganiello, L., see Palenzuela, B. 289
Marengo, E.
—, Bobba, M., Robotti, E. and Lenti, M.
Hydroxyl and acid number prediction in polyester resins by near infrared spectroscopy and artificial neural networks 313
Mason, J., see McMillan, N.D. 119
Matějka, P., see Broncová, G. 197
Matsuda, T., see Inukai, Y. 261
McMillan, N.D.
—, O'Rourke, B., Riedel, S.M., O'Neill, M., O'Neill, A.E., Bertho, A.C., Doyle, G., Beverley, K., Hammond, J., Augousti, A., Mason, J., Skelly, D.O., O'Neill, A.T., Boller, D. and Cave, S.J.
A new democratic phase coherent data-scatter technique for calibration, measurement, fingerprinting and rapid archival identification of ultraviolet-visible multi-component food spectra 119
Medeiros, A.C.D., see Medeiros, E.P. 113
Medeiros, E.P.
—, Nascimento, E.C.L., Medeiros, A.C.D., Neto, J.G.V., da Silva, E.C. and Araujo, M.C.U.
Multicommutated generation of concentration gradients in a flow-batch system for metronidazole spectrophotometric determination in drugs 113
Megoulas, N.C.
— and Koupparis, M.A.
Ion chromatographic behaviour and determination of perbromates 159
Mei, S., see Lian, H. 25
Mendes, A., see Rego, R. 215
Mihara, N., see Inukai, Y. 261
Mikros, E., see Constantinou, M.A. 303
Mio, C., see Mitchem, L. 281
Miravet, R.
—, López-Sánchez, J.F. and Rubio, R.
Comparison of pre-reducing agents for antimony determination by hydride generation atomic fluorescence spectrometry 295
Mitchem, L.
—, Mio, C. and Snook, R.D.
Diffusion of transdermally delivered nitroglycerin through skin mimetics using photoacoustic and attenuated total reflectance spectrometry 281
Musameh, M., see Wang, J. 33
Mutair, A.A., see Badawy, S.S. 207

Nambu, N., see Inukai, Y. 261
Nascimento, E.C.L., see Medeiros, E.P. 113
Nedelkoska, T.V.
— and Low, G.K-C.
High-performance liquid chromatographic determination of glyphosate in water and plant material after pre-column derivatisation with 9-fluorenylmethyl chloroformate 145
Neto, J.G.V., see Medeiros, E.P. 113
Nishio, H., see Inoue, H. 267

O'Hare, D., see Lindsay, A.E. 185
Ohira, S.-I., see Toda, K. 3
O'Neill, A.E., see McMillan, N.D. 119
O'Neill, A.T., see McMillan, N.D. 119
O'Neill, M., see McMillan, N.D. 119
O'Rourke, B., see McMillan, N.D. 119
Oymak, T., see Tokalıoğlu, Ş. 255

Palenzuela, B.
—, Manganiello, L., Ríos, A. and Valcárcel, M.
Monitoring inorganic mercury and methylmercury species with liquid chromatography–piezoelectric detection 289
Paolicchi, I.
—, Renedo, O.D., Asunción Alonso Lomillo, M. and Julia Arcos Martínez, M.
Application of an optimization procedure in adsorptive stripping voltammetry for the determination of trace contaminant metals in aqueous medium 223
Papakonstantinou, E., see Constantinou, M.A. 303
Park, J.-H., see Kolosova, A.Yu. 323
Park, S.-J., see Kolosova, A.Yu. 323
Peng, Z., see Tian, Y. 97
Peuravuori, J., see Lehtonen, T. 349
Pihlaja, K., see Lehtonen, T. 349
Priego-López, E.
— and Luque de Castro, M.D.
Superheated water extraction of linear alquilbenzene sulfonates from sediments with on-line preconcentration/derivatization/detection 249
Pu, Q.
— and Liu, S.
Microfabricated electroosmotic pump for capillary-based sequential injection analysis 105

Qu, L.-B., see Chen, X.-L. 175

Ramnaraine, M., see He, Y. 55
Readman, J.W., see Mackie, D.S. 47
Rego, R.
—, Caetano, N. and Mendes, A.
Development of a new gas sensor for binary mixtures based on the permselectivity of polymeric membranes. Application to carbon dioxide/methane and carbon dioxide/helium mixtures 215
Renedo, O.D., see Paolicchi, I. 223
Riedel, S.M., see McMillan, N.D. 119
Robotti, E., see Marengo, E. 313
Ríos, A., see Palenzuela, B. 289
Rubio, R., see Miravet, R. 295

Sakata, Y., see Inoue, H. 267
Sánchez-Rodas, D., see Gómez-Ariza, J.L. 165
Shao, X., see Chen, D. 37
Shim, W.-B., see Kolosova, A.Yu. 323
Shishkanova, T.V., see Broncová, G. 197
Shulpis, K., see Constantinou, M.A. 303
Skelly, D.O., see McMillan, N.D. 119
Snook, R.D., see Mitchem, L. 281
Song, D., see Tian, Y. 97
Spraul, M., see Constantinou, M.A. 303
Su, Q., see Chen, D. 37

Tanaka, Y., see Inukai, Y. 261
Tang, B.
—, Zhang, H. and Wang, Y.
Flow injection kinetic spectrofluorimetric determination of trace amounts of palladium 17
Tao, X., see Lian, H. 25
Tawfik, A., see Ghoneim, M.M. 63
Tian, L., see Lian, H. 25
Tian, Y.
—, Zhao, L., Song, D., Liu, X., Cao, Y., Peng, Z., Liu, Z. and Zhang, H.
Acousto-optic tunable filter—based surface plasmon resonance biosensor for determination of human factor B 97
Toda, K.
—, Ohira, S.-I. and Ikeda, M.
Micro-gas analysis system μGAS comprising a microchannel scrubber and a micro-fluorescence detector for measurement of hydrogen sulfide 3
Tokalıoğlu, Ş.
—, Oymak, T. and Kartal, Ş.
Determination of palladium in various samples by atomic absorption spectrometry after preconcentration with dimethylglyoxime on silica gel 255
Tsuruta, Y., see Inoue, H. 267

Valcárcel, M., see Palenzuela, B. 289
van den Berg, C.M.G., see Mackie, D.S. 47
Volf, R., see Broncová, G. 197

Wan, G.-H., see Cui, H. 273
Wang, J.
— and Musameh, M.
Electrochemical detection of trace insulin at carbon-nanotube-modified electrodes 33
Wang, Y., see Tang, B. 17
Wilburn, J.P.
—, Ciobanu, M., Buss, N.I., Franceschetti, D.R. and Lowy, D.A.
Miniaturized reference electrodes with stainless steel internal reference elements 83
Wu, X., see Lian, H. 25

Xu, F., see Cui, H. 273

Yamada, K., see Inukai, Y. 261
Yasuda, S., see Inukai, Y. 261
Youssef, A.F., see Badawy, S.S. 207
Yu, Y.-Z., see Chen, X.-L. 175

Zhang, H., see Tang, B. 17
Zhang, H., see Tian, Y. 97
Zhang, Y.
— and Johnson, D.T.
Comparison of different alcohols in a caged lumophore for measuring supersaturated dissolved oxygen 333
Zhao, L., see Tian, Y. 97
Zhao, Q., see Gan, Z.-H. 239
Zhao, Y.-F., see Chen, X.-L. 175
Zheng, Y., see He, Y. 55
Zhou, J., see Cui, H. 273
Zhuang, Q.-K., see Gan, Z.-H. 239